



Curb Mount TUBULAR SKYLIGHTS

EASILY AND AFFORDABLY

Add Soft, Natural Light

Tubular Skylights offer business or homeowners an affordable day-lighting option for areas where adding additional windows isn't practical. Unlike traditional skylights, tubular skylights use a "light pipe" to collect the sun's rays without transferring the sun's heat. As sunlight enters through the skylight dome, the rays bounce downward inside the light pipe until emitted through the ceiling's diffuser. Our curb mount model features a square shaped flashing to easily install over a pre-built curb. It can be used for both residential or commercial roofs.



LOW SLOPE

RESIDENTIAL OR COMMERCIAL

Curb Mount Tubular Skylight

10" | 13" | 18" Models

- Designed to be installed over a pre-built curb
- Roof types include modified bitumen, built-up, rubber membrane, vinyl and polyurethane foam
- Installs easily with no structural changes or wiring required
- Performs optimally from sunup to sundown
- Disperses light evenly while blocking 99% of harmful UV rays
- Condensation release dome prevents fogging due to humidity
- Aluminum housing is powder coated both inside and out to prevent corrosion
- Available in 3 colors: black satin, bronze gloss or mill finish
- Hurricane Tested and Rated – HVHZ Compliant
- Florida Building Code Approved
- Limited Lifetime Warranty



Curb Mount Tubular Skylight Specs



10" Kit

Model #:	10KFCM
Coverage:	up to 150 sf
Wattage:	up to 300 sf
Kit Height:	4 feet
Max Length:	18 feet
Installs over:	pre-built curb
Colors:	● ● ●



13" Kit

Model #:	13KFCM
Coverage:	up to 300 sf
Wattage:	up to 500 sf
Kit Height:	4 feet
Max Length:	20 feet
Installs over:	pre-built curb
Colors:	● ● ●



18" Kit

Model #:	18KFCM
Coverage:	up to 500 sf
Wattage:	up to 1,000 sf
Kit Height:	4 feet
Max Length:	20 feet
Installs over:	pre-built curb
Colors:	● ● ●



21" Kit


Model #:	21KFCM
Coverage:	up to 700 sf
Wattage:	up to 1,450 sf
Kit Height:	4 feet
Max Length:	20 feet
Installs over:	pre-built curb
Colors:	● ● ●

Accessories



Vent Kit

Exhaust system for 10" model – perfect for bathrooms.



Extra Light Pipe / Elbows

12" or 24" pipe extensions and elbow/angle adapters.



Dimmer Kit


Dims incoming light entering home during daytime hours.



Electric or Solar Light Kits

Installs inside tube shaft to provide light at nighttime.





CURB MOUNT RESIDENTIAL OR COMMERCIAL MODEL TECHNICAL SPECIFICATIONS

Model	Coverage	Wattage	Max Tube
10"	up to 150 sf	up to 300 watts	18'
13"	up to 300 sf	up to 500 watts	20'
18"	up to 500 sf	up to 1,000 watts	20'
21"	up to 700 sf	up to 1,450 watts	20'

Note: 18" model used on homes with 24" on center construction.

1. Clear UV Protected, 100% High Impact Modified Acrylic Dome
2. (4) Phillips Head Stainless Steel .25" Sheet Metal Screws
3. Black Nylon Horse Hair Gasket (self-adhesive)
4. Commercial Pure Grade Aluminum Curb Mount Flashing (choice of bronze, black or mill finish)
5. (6) 1.5" Phillips Head Stainless Steel Screws
6. Heavy Duty Foil Tape
7. (2) 24" Light Pipe Sections
8. White Nylon Horse Hair Gasket (self-adhesive)
9. (8) Phillips Head Stainless Steel .5" Self-Tapping Screws
10. (3) Black Speed Nuts
11. Aluminum Ceiling Ring
12. White Powder Coated Aluminum Trim Ring
13. Prismatic or Soft White Diffuser (flat or domed profile)
14. (3) 1.5" Phillips Head Screws

